



# Test Report : NPF-90D-30

---

90W Single Output Switching Power Supply

## ■ DESIGN VERIFY TEST

Output Function Test

Input Function Test

Protection Function Test

Component Stress Test

## ■ SAFETY & E.M.C. TEST

Safety Test

E.M.C. Test

## ■ RELIABILITY TEST

ENVIRONMENT TEST

■ DESIGN VERIFY TEST

OUTPUT FUNCTION TEST

| NO | TEST ITEM                | SPECIFICATION                                 | TEST CONDITION  | RESULT                               | VERDICT |
|----|--------------------------|---|---|--------------------------------------|---------|
| 1  | RIPPLE & NOISE           | V1 : 200 mVp-p (Max)                          | I/P : 230 VAC<br>O/P : FULL LOAD<br>Ta : 25°C   | V1 : 12 mVp-p (Max)                  | PASS    |
| 2  | CONSTANT CURRENT REGION  | V1: 18 V ~ 30 V                               | I/P : 230VAC<br>O/P:LED MODE<br>Ta:25°C   | OP= 18V / 2.974A<br>OP= 29V / 2.990A | PASS    |
| 3  | OUTPUT VOLTAGE TOLERANCE | V1 : -3%~ 3% (Max)                            | I/P : 90 VAC / 305 VAC<br>O/P : FULL/ NO LOAD<br>Ta : 25°C  | V1 : -0.07 %~ 0.39 %                 | PASS    |
| 4  | LINE REGULATION          | V1 : -0.5%~ 0.5% (Max)                        | I/P : 100 VAC ~ 305 VAC<br>O/P : FULL LOAD<br>Ta : 25°C   | V1 : 0 %~ 0 %                        | PASS    |
| 5  | LOAD REGULATION          | V1 : -0.5%~ 0.5% (Max)                        | I/P : 230 VAC<br>O/P : FULL~NO LOAD<br>Ta : 25°C  | V1 : -0.07 %~ 0.25 %                 | PASS    |
| 6  | SET UP TIME              | 230VAC : 500 ms (Max)<br>115VAC : 500 ms(Max) | I/P : 230 VAC<br>I/P : 115 VAC<br>O/P : 95% LOAD<br>Ta : 25°C   | 230VAC/ 336 ms<br>115VAC/ 362 ms     | PASS    |
| 7  | RISE TIME                | 230VAC : 80 ms (Max)<br>115VAC : 80 ms (Max)  | I/P : 230 VAC<br>I/P : 115 VAC<br>O/P : 95% LOAD<br>Ta : 25°C   | 230VAC/ 53 ms<br>115VAC/ 45 ms       | PASS    |
| 8  | HOLD UP TIME             | 230VAC : 16 ms (TYP)<br>115VAC : 16 ms (TYP)  | I/P : 230 VAC<br>I/P : 115 VAC<br>O/P : FULL LOAD<br>Ta : 25°C  | 230VAC/ 30 ms<br>115VAC/ 18 ms       | PASS    |
| 9  | OVER/UNDERSHOOT TEST     | < ±5%   | I/P : 230 VAC<br>O/P : FULL LOAD<br>Ta : 25°C   | TEST : < 5 %                         | PASS    |
| 10 | DYNAMIC LOAD             | V1 : 3000 mVp-p                               | I/P : 230 VAC<br>(1).O/P : FULL /NO LOAD 90%DUTY/<br>1KHZ<br>(2).O/P : FULL /NO LOAD 50%DUTY/<br>120HZ<br>Ta : 25°C | (1) 308 mVp-p<br>(2) 1120 mVp-p      | PASS    |

|                                       |                  |   |   |        |          |          |          |          |          |          |          |          |          |           |          |
|---------------------------------------|------------------|---|---|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| 11                                    | DIMMER TEST      | SPEC:   |   |        |          |          |          |          |          |          |          |          |          |           |          |
|                                       |                  | *Output constant current level can be adjusted through output cable by connecting a resistance or 0 ~ 10Vdc or 10V PWM signal between DIM + and DIM - . |   |        |          |          |          |          |          |          |          |          |          |           |          |
|                                       |                  | *Reference resistance value for output current adjustment (Typical)   |   |        |          |          |          |          |          |          |          |          |          |           |          |
|                                       |                  | Resistance value  | Single driver   | Short  | 10 KΩ    | 20 KΩ    | 30 KΩ    | 40 KΩ    | 50 KΩ    | 60 KΩ    | 70 KΩ    | 80 KΩ    | 90 KΩ    | 100 KΩ    | OPEN     |
|                                       |                  |   | Multiple drives<br>( N=driver quantity for synchronized dimming operation ) | Short  | 10 KΩ /N | 20 KΩ /N | 30 KΩ /N | 40 KΩ /N | 50 KΩ /N | 60 KΩ /N | 70 KΩ /N | 80 KΩ /N | 90 KΩ /N | 100 KΩ /N | .....    |
|                                       |                  | Percentage of rated current   |   | 0%     | 10%      | 20%      | 30%      | 40%      | 50%      | 60%      | 70%      | 80%      | 90%      | 100%      | 95%~108% |
|                                       |                  | *0 ~ 10V dimming function for output current adjustment (Typical)   |   |        |          |          |          |          |          |          |          |          |          |           |          |
|                                       |                  | Dimming value   | 0V  | 1V     | 2V       | 3V       | 4V       | 5V       | 6V       | 7V       | 8V       | 9V       | 10V      | OPEN      |          |
|                                       |                  | Percentage of rated current   | 0%  | 10%    | 20%      | 30%      | 40%      | 50%      | 60%      | 70%      | 80%      | 90%      | 100%     | 95%~108%  |          |
|                                       |                  | *10V PWM signal for output current adjustment (Typical): Frequency range: 100Hz~3KHz  |   |        |          |          |          |          |          |          |          |          |          |           |          |
|                                       |                  | Duty value  | 0%  | 10%    | 20%      | 30%      | 40%      | 50%      | 60%      | 70%      | 80%      | 90%      | 100%     | OPEN      |          |
| Percentage of rated current           | 0%               | 10%   | 20%   | 30%    | 40%      | 50%      | 60%      | 70%      | 80%      | 90%      | 100%     | 95%~108% |          |           |          |
| TEST RESULT: I/P : 230 VAC; Ta : 25°C |                  |   |   |        |          |          |          |          |          |          |          |          |          |           |          |
| 1                                     | Resistance value | SHORT   | 10K   | 20K    | 30K      | 40K      | 50K      | 60K      | 70K      | 80K      | 90K      | 100K     | OPEN     |           |          |
|                                       | Output current   | 0A  | 0.380A  | 0.695A | 1.011A   | 1.328A   | 1.645A   | 1.962A   | 2.283A   | 2.602A   | 2.920A   | 3.066A   | 3.006A   |           |          |
|                                       | %                | 0%  | 12.67%  | 23.17% | 32.29%   | 44.27%   | 54.83%   | 65.40%   | 76.10%   | 86.73%   | 97.33%   | 102.20%  | 100.20%  |           |          |
| 2                                     | Dimming value    | 0V  | 1V  | 2V     | 3V       | 4V       | 5V       | 6V       | 7V       | 8V       | 9V       | 10V      | OPEN     |           |          |
|                                       | Output current   | 0A  | 0.367A  | 0.678A | 0.992A   | 1.298A   | 1.614A   | 1.926A   | 2.240A   | 2.561A   | 2.882A   | 3.098A   | 3.006A   |           |          |
|                                       | %                | 0%  | 12.23%  | 22.60% | 33.07%   | 43.27%   | 53.80%   | 64.20%   | 74.67%   | 85.37%   | 96.07%   | 103.27%  | 100.20%  |           |          |
| 3                                     | Duty value       | 0%  | 10%   | 20%    | 30%      | 40%      | 50%      | 60%      | 70%      | 80%      | 90%      | 100%     | OPEN     |           |          |
|                                       | Output current   | 0A  | 0.332A  | 0.639A | 0.951A   | 1.259A   | 1.570A   | 1.877A   | 2.185A   | 2.497A   | 2.807A   | 3.082A   | 3.006A   |           |          |
|                                       | %                | 0%  | 11.07%  | 21.30% | 31.70%   | 41.97%   | 52.33%   | 62.57%   | 72.83%   | 83.23%   | 93.57%   | 102.73%  | 100.20%  |           |          |

PASS

INPUT FUNCTION TEST

| NO | TEST ITEM                 | SPECIFICATION   | TEST CONDITION   | RESULT  | VERDICT |
|----|---------------------------|---|--|---|---------|
| 1  | INPUT VOLTAGE RANGE       | 90 VAC~305 VAC  | I/P : TESTING<br>O/P : FULL LOAD<br>Ta : 25°C  | 87 V~305 V  | PASS    |
|    |                           |   | I/P :<br>(1)LOW-LINE-3V=87 V<br>HIGH-LINE+10V=315 V<br>O/P : FULL/MIN LOAD<br>ON : 30 Sec OFF : 30 Sec 10MIN<br>(2)230VAC<br>ON : 0.5 Sec OFF : 0.5 Sec 20MIN<br>(3)230VAC<br>ON : 3Sec OFF : 3Sec 12HOURS<br>( POWER ON/OFF NO DAMAGE ) | TEST :<br>(1) OK<br>(2) OK<br>(3) OK                                    |         |
| 2  | INPUT FREQUENCY RANGE     | 47HZ ~63 HZ<br>NO DAMAGE OSC  | I/P : 90 VAC ~ 305 VAC<br>O/P : FULL ~NO LOAD<br>Ta : 25°C   | TEST : OK   | PASS    |
| 3  | POWER FACTOR              | 115V/ 0.98 (TYP)<br>230V/ 0.96 (TYP)<br>277V/ 0.94 (TYP)  | I/P : 115 VAC<br>I/P : 230 VAC<br>I/P : 277 VAC<br>O/P : FULL LOAD<br>Ta : 25°C  | PF= 0.997 / 115 VAC<br>PF= 0.971 / 230 VAC<br>PF= 0.947 / 277 VAC       | PASS    |
| 4  | EFFICIENCY                | 89% (TYP)   | I/P : 230 VAC<br>O/P : FULL LOAD<br>Ta : 25°C  | 89.54%  | PASS    |
| 5  | INPUT CURRENT             | 115V/ 0.95 A (TYP)<br>230V/ 0.5 A (TYP)<br>277V/ 0.4 A (TYP)  | I/P : 115 VAC<br>I/P : 230 VAC<br>I/P : 277 VAC<br>O/P : FULL LOAD<br>Ta : 25°C  | I = 0.829 A / 115 VAC<br>I = 0.421 A / 230 VAC<br>I = 0.360 A / 277 VAC | PASS    |
| 6  | INRUSH CURRENT            | 230V/ 60 A (TYP)<br>Twidth =550 us measured at 50%<br>Ipeak<br>COLD START   | I/P : 230 VAC<br>O/P : FULL LOAD<br>Ta : 25°C  | I = 52.8 A<br>Twidth = 408 us   | PASS    |
| 7  | LEAKAGE CURRENT           | < 0.25 mA / 277 VAC   | I/P : 305 VAC<br>O/P : NO LOAD<br>Ta : 25°C  | L-CASE : 0.003 mA<br>N-CASE : 0.003 mA                                  | PASS    |
| 8  | NO LOAD CONSUMPTION       | < 0.5 W   | I/P : 230VAC<br>O/P : NO LOAD<br>Ta : 25°C   | 0.26 W  | PASS    |
| 9  | TOTAL HARMONIC DISTORTION | Total harmonic distortion will be lower than 20% when output loading is 60% or higher at 230V/115VAC<br>Total harmonic distortion will be lower than 20% when output loading is 75% or higher at 277VAC | I/P : 115 VAC<br>I/P : 230 VAC<br>O/P : 60% LOAD<br>I/P : 277 VAC<br>O/P : 75%LOAD<br>Ta : 25°C  | THD : 6.31% /115VAC<br>THD : 16.93% /230VAC<br>THD : 16.49% /277VAC     | PASS    |

**PROTECTION FUNCTION TEST**

| NO | TEST ITEM                   | SPECIFICATION                          | TEST CONDITION  | RESULT   | VERDICT |
|----|-----------------------------|--|---|--|---------|
| 1  | OVER LOAD PROTECTION        | 95 % ~ 108 %                           | I/P : 100 VAC<br>I/P : 230 VAC<br>I/P : 305 VAC<br>O/P : TESTING<br>Ta : 25°C | 100.2 %/ 100 VAC<br>100.2 %/ 230 VAC<br>100.2 %/ 305 VAC<br>Constant current limiting, recovers automatically after fault condition is removed | PASS    |
| 2  | OVER VOLTAGE PROTECTION     | CH1 : 34 V ~ 40 V                      | I/P : 90 VAC<br>I/P : 230 VAC<br>I/P : 305 VAC<br>O/P : NO LOAD<br>Ta : 25°C  | 37.3 V/ 90 VAC<br>37.3 V/ 230 VAC<br>37.3 V/ 305 VAC<br>Shut down o/p voltage , re-power on to recover   | PASS    |
| 3  | OVER TEMPERATURE PROTECTION | SPEC : O.T.P.<br>NO DAMAGE             | I/P : 230 VAC<br>O/P : FULL LOAD  | O.T.P. Active<br>Shut down o/p voltage , re-power on to recover  | PASS    |
| 4  | SHORT PROTECTION            | SHORT EVERY OUTPUT<br>1 HOUR NO DAMAGE | I/P : 305 VAC<br>O/P : FULL LOAD<br>Ta : 25°C                                 | NO DAMAGE<br>Hiccup mode , recovers automatically after fault condition is removed   | PASS    |

**COMPONENT STRESS TEST**

| NO | TEST ITEM  | SPECIFICATION            | TEST CONDITION  | RESULT                                 | VERDICT |
|----|--|--------------------------|---|--|---------|
| 1  | Power Transistor<br>( D to S) or (C to E) Peak Voltage | Q2 Rated<br>800 V 9A     | I/P : High-Line +3V = 308 V<br>O/P : (1)FULL LOAD Turn on<br>(2) Output Short<br>(3) FULL LOAD continue<br>Ta : 25°C                          | (1) 716 V<br>(2) 524 V<br>(3) 720 V    | PASS    |
| 2  | Diode Peak Voltage                                     | Q101 Rated<br>120 V 20 A | I/P : High-Line +3V = 308 V<br>O/P : (1) FULL LOAD Turn on<br>(2)Output Short<br>(3) FULL LOAD continue<br>Ta : 25°C                          | (1) 94.0 V<br>(2) 63.2 V<br>(3) 93.6 V | PASS    |
| 3  | Input Capacitor Voltage                                | C5 Rated<br>82uF / 450 V | I/P : High-Line +3V = 308 V<br>O/P : (1) FULL LOAD Turn on /Off<br>(2) NO LOAD Turn on /Off<br>(3) FULL LOAD /MIN LOAD<br>Change<br>Ta : 25°C | (1) 442 V<br>(2) 450 V<br>(3) 444 V    | PASS    |
| 4  | Control IC Voltage Test                                | U1 Rated<br>28V          | I/P : High-Line +3V = 308 V<br>O/P : (1) FULL LOAD Turn on /Off<br>(2) NO LOAD Turn on /Off<br>(3) FULL LOAD /MIN LOAD<br>Change<br>Ta : 25°C | (1) 17.0 V<br>(2) 17.1 V<br>(3) 17.1 V | PASS    |
| 5  | PFC Transistor<br>( D to S) or (C to E) Peak Voltage   | Q1 Rated<br>600 V 10A    | I/P : High-Line +3V = 308 V<br>O/P : (1)FULL LOAD Turn on<br>(2) Output Short<br>(3) FULL LOAD continue<br>Ta : 25°C                          | (1) 480 V<br>(2) 446 V<br>(3) 466 V    | PASS    |

■ SAFETY & E.M.C. TEST

SAFETY TEST

| NO | TEST ITEM            | SPECIFICATION           | TEST CONDITION                        | RESULT                          | VERDICT |
|----|----------------------|-------------------------|---------------------------------------|---------------------------------|---------|
| 1  | WITHSTAND VOLTAGE    | I/P-O/P : 3.75 KVAC/min | I/P-O/P : 4.2 KVAC/min<br>Ta : 25°C   | I/P-O/P : 2.620 mA<br>NO DAMAGE | PASS    |
| 2  | ISOLATION RESISTANCE | I/P-O/P : 500VDC>100MΩ  | I/P-O/P : 500 VDC<br>Ta : 25°C/70% RH | I/P-O/P : >9999 MΩ<br>NO DAMAGE | PASS    |

E.M.C TEST

| NO | TEST ITEM                                   | SPECIFICATION  | TEST CONDITION   | RESULT                      | VERDICT |
|----|---|--|--|-----------------------------|---------|
| 1  | HARMONIC                                    | EN61000-3-2<br>CLASS C                                 | I/P : 115VAC/230VAC/50HZ<br>O/P : 60%/FULL LOAD<br>I/P : 277VAC/50HZ<br>O/P : 75%/FULL LOAD<br>Ta:25°C | OK                          | PASS    |
| 2  | CONDUCTION                                  | EN55022<br>CLASS B                                     | I/P : 230 VAC/50HZ<br>O/P:FULL LOAD<br>Ta:25°C   | OK<br>Test by certified Lab | PASS    |
| 3  | RADIATION                                   | EN55022<br>CLASS B                                     | I/P : 230 VAC/50HZ<br>O/P:FULL LOAD<br>Ta:25°C   | OK<br>Test by certified Lab | PASS    |
| 4  | E.S.D                                       | EN61000-4-2<br>LIGHT INDUSTRY<br>AIR:8KV / Contact:4KV | I/P : 230 VAC/50HZ<br>O/P:FULL LOAD<br>Ta:25°C   | CRITERIA A                  | PASS    |
| 5  | E.F.T                                       | EN61000-4-4<br>LIGHT INDUSTRY<br>INPUT : 1KV           | I/P : 230 VAC/50HZ<br>O/P:FULL LOAD<br>Ta:25°C   | CRITERIA A                  | PASS    |
| 6  | SURGE                                       | IEC61000-4-5<br>INDUSTRY<br>L-N :2KV                   | I/P : 230 VAC/50HZ<br>O/P:FULL LOAD<br>Ta:25°C   | CRITERIA A                  | PASS    |
| 7  | Test by certified Lab & Test Report Prepare |  |  |                             |         |

■ RELIABILITY TEST

ENVIRONMENT TEST

| NO | TEST ITEM   | SPECIFICATION   | TEST CONDITION   | RESULT           | VERDICT |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
|----|---|---|--|------------------|---------|-----------------------------|-----------------------------|---|----|--------|--------|---|------|--------|--------|---|----|--------|--------|---|----|--------|--------|---|----|--------|--------|---|------|--------|--------|---|----|--------|--------|---|-----|--------|--------|---|----|--------|--------|----|-------|--------|--------|----|------|--------|--------|----|------|--------|--------|----|-----|--------|--------|----|-----|--------|--------|----|-----|--------|--------|----|------|--------|--------|----|----|--------|--------|----|----|--------|--------|----|-----|--------|--------|----|----|--------|--------|--|--|
| 1  | TEMPERATURE RISE TEST   | MODEL : NPF-90D-36<br>1. ROOM AMBIENT BURN-IN : 2 HRS<br>I/P : 230VAC O/P : FULL LOAD Ta=32.7 °C<br>2. HIGH AMBIENT BURN-IN : 2 HRS<br>I/P : 230VAC O/P : FULL LOAD Ta=51.5 °C  |  |                  | PASS    |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
|    |   | <table border="1"> <thead> <tr> <th>NO</th> <th>Position</th> <th>ROOM AMBIENT<br/>Ta= 32.7 °C</th> <th>HIGH AMBIENT<br/>Ta= 51.5 °C</th> </tr> </thead> <tbody> <tr><td>1</td><td>C5</td><td>67.6°C</td><td>85.7°C</td></tr> <tr><td>2</td><td>C105</td><td>65.2°C</td><td>83.4°C</td></tr> <tr><td>3</td><td>T1</td><td>70.0°C</td><td>88.4°C</td></tr> <tr><td>4</td><td>Q1</td><td>74.6°C</td><td>94.5°C</td></tr> <tr><td>5</td><td>Q2</td><td>75.9°C</td><td>95.9°C</td></tr> <tr><td>6</td><td>Q101</td><td>66.3°C</td><td>84.9°C</td></tr> <tr><td>7</td><td>L3</td><td>64.7°C</td><td>82.6°C</td></tr> <tr><td>8</td><td>BD1</td><td>70.1°C</td><td>88.8°C</td></tr> <tr><td>9</td><td>D6</td><td>72.2°C</td><td>91.3°C</td></tr> <tr><td>10</td><td>LF100</td><td>54.8°C</td><td>73.0°C</td></tr> <tr><td>11</td><td>C110</td><td>58.3°C</td><td>76.4°C</td></tr> <tr><td>12</td><td>RTH2</td><td>63.6°C</td><td>81.3°C</td></tr> <tr><td>13</td><td>C41</td><td>66.3°C</td><td>84.0°C</td></tr> <tr><td>14</td><td>C45</td><td>66.2°C</td><td>84.0°C</td></tr> <tr><td>15</td><td>C11</td><td>71.0°C</td><td>90.1°C</td></tr> <tr><td>16</td><td>ZNR2</td><td>68.9°C</td><td>87.7°C</td></tr> <tr><td>17</td><td>D5</td><td>65.5°C</td><td>84.2°C</td></tr> <tr><td>18</td><td>U1</td><td>64.7°C</td><td>83.0°C</td></tr> <tr><td>19</td><td>D10</td><td>77.3°C</td><td>97.0°C</td></tr> <tr><td>20</td><td>Tc</td><td>61.7°C</td><td>80.3°C</td></tr> </tbody> </table> | NO   | Position         |         | ROOM AMBIENT<br>Ta= 32.7 °C | HIGH AMBIENT<br>Ta= 51.5 °C | 1 | C5 | 67.6°C | 85.7°C | 2 | C105 | 65.2°C | 83.4°C | 3 | T1 | 70.0°C | 88.4°C | 4 | Q1 | 74.6°C | 94.5°C | 5 | Q2 | 75.9°C | 95.9°C | 6 | Q101 | 66.3°C | 84.9°C | 7 | L3 | 64.7°C | 82.6°C | 8 | BD1 | 70.1°C | 88.8°C | 9 | D6 | 72.2°C | 91.3°C | 10 | LF100 | 54.8°C | 73.0°C | 11 | C110 | 58.3°C | 76.4°C | 12 | RTH2 | 63.6°C | 81.3°C | 13 | C41 | 66.3°C | 84.0°C | 14 | C45 | 66.2°C | 84.0°C | 15 | C11 | 71.0°C | 90.1°C | 16 | ZNR2 | 68.9°C | 87.7°C | 17 | D5 | 65.5°C | 84.2°C | 18 | U1 | 64.7°C | 83.0°C | 19 | D10 | 77.3°C | 97.0°C | 20 | Tc | 61.7°C | 80.3°C |  |  |
| NO | Position  | ROOM AMBIENT<br>Ta= 32.7 °C   | HIGH AMBIENT<br>Ta= 51.5 °C  |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 1  | C5  | 67.6°C  | 85.7°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 2  | C105  | 65.2°C  | 83.4°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 3  | T1  | 70.0°C  | 88.4°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 4  | Q1  | 74.6°C  | 94.5°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 5  | Q2  | 75.9°C  | 95.9°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 6  | Q101  | 66.3°C  | 84.9°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 7  | L3  | 64.7°C  | 82.6°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 8  | BD1   | 70.1°C  | 88.8°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 9  | D6  | 72.2°C  | 91.3°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 10 | LF100   | 54.8°C  | 73.0°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 11 | C110  | 58.3°C  | 76.4°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 12 | RTH2  | 63.6°C  | 81.3°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 13 | C41   | 66.3°C  | 84.0°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 14 | C45   | 66.2°C  | 84.0°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 15 | C11   | 71.0°C  | 90.1°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 16 | ZNR2  | 68.9°C  | 87.7°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 17 | D5  | 65.5°C  | 84.2°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 18 | U1  | 64.7°C  | 83.0°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 19 | D10   | 77.3°C  | 97.0°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 20 | Tc  | 61.7°C  | 80.3°C   |                  |         |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 2  | LOW TEMPERATURE<br>TURN ON TEST                                   | TURN ON AFTER 2 HOUR  | I/P : 305VAC/100VAC<br>O/P : FULL LOAD<br>Ta= -45°C/-30°C          | TEST : OK        | PASS    |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 3  | HIGH HUMIDITY<br>HIGH TEMPERATURE<br>HIGH VOLTAGE<br>TURN ON TEST | AFTER 12 HOURS<br>IN CHAMBER ON<br>CONTROL 50 °C<br>NO DAMAGE   | I/P : 315 VAC<br>O/P : FULL LOAD<br>Ta= 50 °C<br>HUMIDITY= 95% R.H | TEST : OK        | PASS    |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 4  | TEMPERATURE<br>COEFFICIENT  | ±0.03 %(0~50°C)   | I/P : 230 VAC<br>O/P : FULL LOAD                                   | ±0.004 %(0~50°C) | PASS    |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 5  | STORAGE TEMPERATURE TEST  | 1. Thermal shock Temperature : -45°C ~ +85°C<br>2. Temperature change rate : 25°C / MIN<br>3. Dwell time low and high temperature : 30 MIN/EACH<br>4. Total test cycle : 5 CYCLE<br>5. Input/Output condition : STATIC  |  | OK               | PASS    |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |
| 6  | THERMAL SHOCK TEST  | 1. Thermal shock Temperature : -45°C ~ +55°C<br>2. Temperature change rate : 25°C / MIN<br>3. Dwell time low and high temperature : 30 MIN/EACH<br>4. Total test cycle : 10 CYCLE<br>5. Input/Output condition : 230VAC/FULL LOAD AC ON/OFF TEST<br>turn on 58sec ; turn off 2sec   |  | OK               | PASS    |                             |                             |   |    |        |        |   |      |        |        |   |    |        |        |   |    |        |        |   |    |        |        |   |      |        |        |   |    |        |        |   |     |        |        |   |    |        |        |    |       |        |        |    |      |        |        |    |      |        |        |    |     |        |        |    |     |        |        |    |     |        |        |    |      |        |        |    |    |        |        |    |    |        |        |    |     |        |        |    |    |        |        |  |  |

|    |                             |  |   |      |
|----|-----------------------------|--|---|------|
| 7  | VIBRATION TEST              | 1 Carton & 1 Set<br>(1) Waveform : Sine Wave<br>(2) Frequency : 10~500Hz<br>(3) Sweep Time : 12min/sweep cycle<br>(4) Acceleration : 5G<br>(5) Test Time : 90min in each axis (X.Y.Z)<br>(6) Ta : 25°C   | TEST : OK   | PASS |
| 8  | CAPACITOR LIFE CYCLE        | NPF-90D-36 : SUPPOSE C105 IS THE MOST CRITICAL COMPONENT<br>(1) I/P : 230VAC O/P : FULL LOAD Ta=25 °C LIFE TIME<br>(2) I/P : 230VAC O/P : FULL LOAD Ta=50 °C LIFE TIME<br>(3) I/P : 230VAC O/P : 75% LOAD Ta=50 °C LIFE TIME<br>(4) I/P : 230VAC O/P : 50% LOAD Ta=50 °C LIFE TIME | (1) 227551 HRS<br>(2) 41941 HRS<br>(3) 55725 HRS<br>(4) 71537 HRS | PASS |
| 9  | MTBF                        | Conducted by Parts Stress Analysis Prediction<br>2749.4K hrs min. Telcordia SR-332 (Bellcore); 231.2K hrs min. MIL-HDBK-217F (25°C)  |   | PASS |
| 10 | DMTBF/Accelerated Life Test | Demonstration Mean Time Between Failure(Expected Life) :<br>50000 hours @ Tcase 75°C   |   | PASS |

| TEST RESULT | TESTER        | REVIEW | APPROVAL |
|-------------|---------------|--------|----------|
| PASS        | ZHOUB/ ZHUOKB | SKY    | LIUWY    |

2009/08/04 A50-G058